Dino-Lite Europe - Phone: - Email:

## AM4113T



Marca:


Código del producto: AM4113T

#### **Short Description**

1.3 Megapixel resolutionWith magnification lock20-50x & 200x MagnificationGreat choice for generic applications

### Descripción

The Dino-Lite AM4113T is a convenient, easy to use, professional handheld digital microscope providing superior image quality with up to 200x optical magnification.



It is equipped with a high quality 1.3 Megapixels sensor with a crystal clear image quality and natural color reproduction, enabling you to view and capture objects with the greatest level of detail. This model comes with the DinoCapture 2.0 software for Windows and

DinoXcope software for MacOS, allowing you to do calibrated measurements on pictures taken with the Dino-Lite. The AM4113T is the most popular choice for quality inspection in industrial environments, education, office, or in the laboratory.

## Working distance/field of view/depth of field

<b>MAGNIFICAT</b>	TI WORKING	FIELD OF	FIELD OF	<b>DEPTH OF</b>
ON RATE	<b>DISTANCE</b>	VIEW(X)	VIEW(Y)	FIELD
20	48.7	19.6	15.6	3.6
30	21.7	13.0	10.4	1.9
40	9.0	9.8	7.8	
50	1.9	7.8	6.3	0.88
60	-2.3	6.5	5.2	
220	-0.1	1.8	1.4	0.2
230	1.0	1.7	1.4	
240	2.1	1.6	1.3	
<b>Listed values</b>				Unit = mm
may differ				

Especificación

slightly

•	
Lighting	
Light/ LED type	White
Number of LEDs	8
LED on/off switchable:	Yes
Infrared filter	IR cut-filter >650 nm
Diffuser available	No
Emission filter	No
Polarizer	No
Optics	
Magnification	$20x \sim 50x, 200x$
Macro zoom	No
Working distance	Standard
Lens type	Glass with anti-reflection coating
Sensor	
Sensor type	CMOS
Resolution	1.3 Megapixel (1280x1024)
Maximum frame rate	30 fps
Compatibility	
Interface	USB 2.0
Operating system	Windows 7,8,10 & 11, MacOS 10.9 and up
Software	DinoCapture 2.0 (Windows), DinoXcope (Mac

P, GIF, PNG, JPG, TIF, RAS, PNM, TGA, K, MNG, WBMP, JP2, JPC, PGX IV, FLV, SWF		
IV, FLV, SWF G, PNG		
G, PNG		
MOV		
DirectShow, UVC		
eless-ready, requires the WF-10 WiFi streamer ional)		
nposite/ plastic housing		
10.5cm (L) x 3.2cm (D)		
g		
1.8m		
No		
Yes		
No		
roscope, Carry pouch, software CD, calibration et, user manual		
2 years European warranty		
CE, FCC, ROHS		
€300,00 - €450,00		

# **Product Gallery**

