## AM4917MT8



Marque: Code produit: AM4917MT8

## **Courte description**

1.3 MegapixelsExtended Depth of Field (EDOF)Extended Dynamic Range (EDR)Automatic Magnification Reading (AMR)Extended Depth of Field (EDOF)Enhanced Flexible LED Control (eFLC)

## Description

At high magnifications, the thickness or roughness of targets may impede obtaining clear images. EdgePLUS AM4917MT8's high-sensitivity sensor, combined with the EDOF feature, generates high-quality focused-stacked images of targets at 800x magnification. AM4917MT8 offers DPQ, eFLC, AMR, EDR, and even a click-to-focus function to ease finding focus on a point of interest.

Note: EDOF, EDR, and DPQ are available on Windows PC only.





## The main features of the AM4917MT8 are:

- 1.3 Megapixels
- Extended Depth of Field (EDOF)
- Extended Dynamic Range (EDR)
- Automatic Magnification Reading (AMR)
- Extended Depth of Field (EDOF)
- Enhanced Flexible LED Control (eFLC)
- And more...

(\*EDOF/EDR only functions under Windows OS)

Optical Data Table					
<b>MAGNIFICATI WORKING</b>		FIELD OF	FIELD OF	<b>DEPTH OF</b>	
<b>ON RATE</b>	<b>DISTANCE</b> *	VIEW(X)	VIEW(Y)	FIELD	
700	5.82	0.558	0.419	0.00985	
750	5.74	0.521	0.391	0.00973	
800	5.68	0.488	0.366	0.00956	
850	5.62	0.460	0.345	0.00937	
900	5.57	0.434	0.326	0.00915	
Listed values may differ slightly		* Without front	t	Unit = mm	
		cap			

Spécification	
Lighting	
Light/ LED type	White
Number of LEDs	8
Optics	
Magnification	700x ~ 900x
Sensor	
Sensor type	CMOS
Resolution	1.3 Megapixel (1280x960)

Maximum frame rate	30 fps in 1.3 MP, MJPEG 30 fps in VGA, MJPEG			
Compatibility				
Interface	USB 2.0			
Operating system	Windows 7/8/10/11 macOS 10.14 or later			
Operating system	Windows 7, 8, 10 & 11, MacOS 10.12 and up			
Software	DinoCapture 2.0 (Windows), DinoXcope (Mac OS)			
Supported image formats (Windows)	BMP, GIF, PNG, MNG, TIF, TGA, PCX, WBMP, JP2, JPC, JPG, PGX, RAS, PNM			
Supported video formats (Windows)	WMV, FLV, SWF			
Supported image formats (MacOS)	PNG, JPEG			
Supported video formats (MacOS)	MOV			
Housing				
Housing material	Metal housing			
Dimensions	10.7 cm (H) x 3.3 cm (D)			
Weight	130 g			
Features				
Calibration	Yes			
Microtouch sensor	Yes			
Information				
Warranty information	2 years European warranty			
Regulatory approval	CE, FCC, ROHS			
Price range	€1400,00 - €1700,00			