Dino-Lite Europe - Phone: - Email:

CapillaryScope 200 Pro Wireless (MEDLW4N Pro)



Marque:

Code produit: MEDLW4N Pro

Courte description

1.3 Megapixel resolution
For inspection of capillary vessels
Around 200x magnification
Built-in polarizer
Wireless
Medical Device Class 1

Description

The Dino-Lite CapillaryScope 200 Pro Wireless (MEDLW4N Pro) is intended for looking at the microcirculation (microcapillary function) of the blood vessels under finger nails. With this compact and versatile digital CapillaryScope it is very easy to capture and store nail fold capillaroscopy images at a magnification rate of 200x.







The CapillaryScope 200 Pro Wireless uses the latest, cutting-edge optics and offers superb image quality and color reproduction in a robust and compact housing. The device is suitable for intensive daily use. The CapillaryScope 200 Pro Wireless has a lower magnification than the CapillaryScope 500 Pro, the maximum magnification is 200x, but due to a bigger Field of View (FOV) it will be possible to look at a higher number of capillaries in one picture. The built-in, switchable polarizer, makes it even more convenient to make glare-free pictures, especially when you work with contact oil or water on the nail rim.

The CapillaryScope 200 Pro Wireless is certified according to the Medical Devices Regulation (EU) 2017/745. All the necessary software is included so you can get up to speed quickly.

Spécification

Specification				
Lighting				
Light/ LED type	White			
Number of LEDs	8			
LED on/off switchable:	Yes			
Infrared filter	IR cut-filter >650 nm			
Diffuser available	No			
Polarizer	Yes, linear			
Optics				
Magnification	50x, 200x			
Lens type	Glass with anti-reflection coating			
Sensor				
Sensor type	CMOS			
Resolution	1.3 Megapixel (1280x1024)			
Maximum frame rate	30 fps			
Compatibility				
Interface	USB 2.0			
Operating system	Windows 7, 8, 10 & 11, MacOS 10.9 and up			
Software	DinoCapture 2.0 (Windows) cable + wireless,			
	DinoXcope (Mac OS) cable only, DinoConnect wireless only			
Supported image formats	BMP, GIF, PNG, JPG, TIF, RAS, PNM, TGA,			
(Windows)	PCX, MNG, WBMP, JP2, JPC, PGX			
Software Supported image formats	DinoCapture 2.0 (Windows) cable + wireless, DinoXcope (Mac OS) cable only, DinoConnect wireless only BMP, GIF, PNG, JPG, TIF, RAS, PNM, TGA,			

Supported video formats (Windows)	WMV, FLV, SWF			
Supported image formats (MacOS)	JPEG, PNG			
Supported video formats (MacOS)	MOV			
Imaging standards	DirectShow, UVC			
Wifi	Yes			
Housing				
Housing material	Composite/plastic housing			
Magnification lock	Yes			
Dimensions	10.5cm (L) x 3.2cm (D)			
Weight	105 g			
Cable length	1.8m			
Features				
Special feature	Automatic Magnification Reading (AMR)			
Measurement	No			
Calibration	No			
Microtouch sensor	Yes			
Information				
Package contents	Microscope, carry pouch, software CD, user manual, N3C-N- CapillaryScope cap			
Warranty information	2 years European warranty			
Regulatory approval	Medical Device Class 1 – Medical Devices Regulation (EU) 2017/745			
Price range	€900,00 - €1100,00			

Galerie du produit

