Dino-Lite Europe - Phone: - Email:

## AM5018MZT

Marque: Dino-Lite

Code produit: AM5018MZT



#### **Courte description**

Direct DVI connection Robust metal housing 10-70, 200x magnification Polarizer (anti-reflection) High 720p HD resolution

#### **Description**

The Dino-Lite AM5018MZT can be connected directly to a HDTV or a LCD monitor through a direct digital DVI/HDMI interface. It offers sharp and vibrant HD 720p resolution to display even the smallest details.



The AM5018MZT is the ideal choice in situations, where real time images are vital, such

as working on PCB's or other miniature objects. By tapping the Microtouch sensor on the microscope, the image can be frozen for inspection of important details and by pressing the Microtouch sensor for 2 seconds the LEDs can be switched on and off. The aluminium housing offers enhanced protection and durability and has the best look and feel. The built-in adjustable polarizer reduces glare and reflection on shiny objects, such as metal surfaces, electronics, plastics etc.

| Working distance/field of view/depth of field |          |          |          |           |  |
|---|----------|----------|----------|-----------|--|
| MAGNIFICATI                                   | WORKING  | FIELD OF | FIELD OF | DEPTH OF  |  |
| ON RATE                                       | DISTANCE | VIEW(X)  | VIEW(Y)  | FIELD     |  |
| <b>Listed values</b>                          |          |          |          | Unit = mm |  |
| may differ                                    |          |          |          |           |  |
| slightly                                      |          |          |          |           |  |
| 20  | 48.7     | 19.6     | 10.9     | 3.6       |  |
| 30  | 21.7     | 13.0     | 7.3      | 1.9       |  |
| 40  | 9.0      | 9.8      | 5.5      | -         |  |
| 50  | 1.9      | 7.8      | 4.4      | 0.88      |  |
| 60  | -2.3     | 6.5      | 3.6      | -         |  |
| 220   | -0.1     | 1.8      | 1.0      | 0.2       |  |
| 230   | 1.0      | 1.7      | 1.0      | -         |  |
| 240   | 2.1      | 1.6      | 0.9      | -         |  |

### **Spécification**

| Lighting               |                                    |  |  |  |
|------------------------|------------------------------------|--|--|--|
| Light/ LED type        | White                              |  |  |  |
| Number of LEDs         | 8                                  |  |  |  |
| LED on/off switchable: | Yes                                |  |  |  |
| Infrared filter        | IR cut-filter >650 nm              |  |  |  |
| Emission filter        | No                                 |  |  |  |
| Polarizer              | Yes, linear                        |  |  |  |
| Optics                 |                                    |  |  |  |
| Magnification          | 10-70x, 200x                       |  |  |  |
| Macro zoom             | No                                 |  |  |  |
| Working distance       | Standard                           |  |  |  |
| Lens type              | Glass with anti-reflection coating |  |  |  |
| Sensor                 |                                    |  |  |  |
| Sensor type            | CMOS                               |  |  |  |
| Resolution             | HD 720p                            |  |  |  |

| Maximum frame rate   | 60 fps                                     |  |  |
|----------------------|--|--|--|
| Compatibility        | 00 1ps                                     |  |  |
| Interface            | DVI & HDMI                                 |  |  |
| Wifi                 | No   |  |  |
| Housing              | 140  |  |  |
|                      | Motal hausing                              |  |  |
| Housing material     | Metal housing                              |  |  |
| Magnification lock   | Yes  |  |  |
| Dimensions           | 10.5cm (L) x 3.2cm (D)                     |  |  |
| Weight               | 140g                                       |  |  |
| Cable length         | 1.8m                                       |  |  |
| Features             |  |  |  |
| Special feature      | No   |  |  |
| Measurement          | No   |  |  |
| Calibration          | No   |  |  |
| Microtouch sensor    | Yes  |  |  |
| ESD safe             | Yes  |  |  |
| Information          |  |  |  |
| Package contents     | Microscope, carry pouch, DVI & HDMI cable, |  |  |
|                      | power adapter, user manual                 |  |  |
| Warranty information | 2 years European warranty                  |  |  |
| Regulatory approval  | CE, FCC, ROHS                              |  |  |
| Price range          | €700,00 - €900,00                          |  |  |

# Galerie du produit