

CapillaryScope 200 Pro (MEDL4N Pro)

Merk: Dino-Lite Medical
Productcode: MEDL4N Pro



Korte omschrijving

1.3 Megapixel resolution

For inspection of capillary vessels

Around 200x magnification

Built-in polarizer

Medical Device Class 1

Omschrijving

The Dino-Lite CapillaryScope 200 Pro (MEDL4N Pro) is intended for looking at the microcirculation (microcapillary function) of the blood vessels under finger nails. With this compact and versatile digital CapillaryScope it is very easy to capture and store nail fold capillaroscopy images at a magnification rate of 200x.



USB 2.0



Automatic
Magnification
Reading (AMR)



Adjustable
~20x - 220x




Magnification
lock



8 White LEDs
switchable



1.3 megapixel
1280 x 1024



Polarizer
anti-reflection

The CapillaryScope 200 Pro uses the latest, cutting-edge optics and offers superb image quality and color reproduction in a robust and compact housing. The device is suitable for intensive daily use. The CapillaryScope 200 Pro has a lower magnification than the CapillaryScope 500 Pro, the maximum magnification is 200x, but due to a bigger Field of View (FOV) it will be possible to look at a higher number of capillaries in one picture. The built-in, switchable polarizer, makes it even more convenient to make glare-free pictures, especially when you work with contact oil or water on the nail rim.

The CapillaryScope 200 Pro is certified according to the Medical Devices Regulation (EU) 2017/745. All the necessary software is included so you can get up to speed quickly.

Specificatie

Verlichting	
Licht / LED-type	White
Aantal leds	8
LED aan / uit schakelbaar:	Yes
Infrarood filter	IR cut-filter >650 nm
Diffusor beschikbaar	No
Polarisator	Yes, linear
Optiek	
Vergroting	50x, 200x
Type lens	Glass with anti-reflection coating
Sensor	
Sensortype	CMOS
Resolutie	1.3 Megapixel (1280x1024)
Maximale framesnelheid	30 fps
Compatibiliteit	
Interface	USB 2.0
Besturingssysteem	Windows 7, 8, 10 & 11, MacOS 10.9 and up
Software	DinoCapture 2.0 (Windows), DinoXscope (Mac OS)
Ondersteunde beeldformaten (Windows)	BMP, GIF, PNG, JPG, TIF, RAS, PNM, TGA, PCX, MNG, WBMP, JP2, JPC, PGX
Ondersteunde videoformaten (Windows)	WMV, FLV, SWF
Ondersteunde beeldformaten (MacOS)	JPEG, PNG
Ondersteunde videoformaten (MacOS)	MOV
Beeldvormingsnormen	DirectShow, UVC
Behuizing	

Materiaal van de behuizing	Composite/plastic housing
Vergrotingsslot	Yes
Afmetingen	10.5cm (L) x 3.2cm (D)
Gewicht	105 g
Kabellengte	1.8m
Kenmerken	
Bijzonderheid	Automatic Magnification Reading (AMR)
Meting	No
Kalibratie	No
Microtouch-sensor	Yes
Informatie	
Inhoud van de verpakking	Microscope, carry pouch, software CD, user manual, N3C-N- CapillaryScope cap
Garantie-informatie	2 years European warranty
Regelgevende goedkeuring	Medical Device Class 1 – Medical Devices Regulation (EU) 2017/745
Prijsklasse	€600,00 - €800,00

Product galerij



